	Care Coordination		Electronic Exchange
Passed	§ 170.315(b)(1) Transitions of care § 170.315(b)(2) Clinical information reconciliation and incorporation § 170.315(b)(3) Electronic prescribing	Passed	§ 170.315(h)(1) Direct Project
	Clinical Quality Measures		Patient Engagement
Passed	§ 170.315(c)(1) — record and export § 170.315(c)(2) — import and calculate § 170.315(c)(3) — report	Passed	§ 170.315(e)(1) View, download, and transmit to 3rd party
	Public Health		Application Programming Interfaces
Passed	§ 170.315(f)(1) Transmission to immunization registries	Passed	§ 170.315(g)(7) Application access— patient selection § 170.315(g)(8) Application access— data category request § 170.315(g)(9) Application access— all data request

Criteria	Care Setting	Measure	emei	nt Period	Date	Key Milestones
Care Coordination						
§ 170.315(b)(1) Transitions of care	Ambulatory	5/1/2023		8/31/2023		Confirm Trading Partner
§ 170.315(b)(2) Clinical information reconciliation and incorporation § 170.315(b)(1) Direct Project: from the Electronic Exchange Category	Ambulatory	5/1/2023	-	0/3/1/2023	May, 2023	Confirm ability to send and receive clinical documents Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment
					June, 2023	 From progress note or chronology area, care provider selects Referrals > New Referral and searches the address book for a provider, can manually add provider's Direct address if not present, then sends referral Care provider receives external email confirmation that referral was sent
					June, 2023	Recipient uses scorecard to grade CCD
					July, 2023	Care provider selects the CCD, chooses Incorporate, and searches for the correct patient to assign.
					July, 2023	 In the patient's chart, the care provider selects Last Received CCD then Reconcile. The care provider reviews the record, and merges the patient's problems, medications, and medication allergies into the system under test with no duplicates.
					August, 2023	Calculate and compile metrics
§ 170.315(b)(3) Electronic prescribing	Ambulatory	5/1/2023	-	8/31/2023	May, 2023	Confirm Trading Partner Confirm ability to send and receive electronic prescriptions Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment
					June, 2023	Prescription for non-controlled substance is shown in patient's record.
					August, 2023	Calculate and compile metrics
Clinical Quality Measures						
§ 170.315(c)(1)—record and export § 170.315(c)(2)—import and calculate § 170.315(c)(3)—report	Ambulatory	5/1/2023	-	8/31/2023	May, 2023	Confirm Trading Partner Confirm ability to calculate and report eCQMs Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment
					July, 2023	The file should upload and be accepted by the environment without error.
					July, 2023	All populations of all measures should match.
					August, 2023	Calculate and compile metrics
Patient Engagement						
§ 170.315(e)(1) View, download, and transmit to 3rd party	Ambulatory	5/1/2023	-	8/31/2023	May, 2023	Confirm ability to provide patients timely access to their ePHI Confirm that production data will be used, whether in an actual live environment or a copy of a live environment
					June, 2023	Ensure patient received activation email or Patient is provisioned with Username and Password in office
					June, 2023	Record validation in the audit log that patient has transmitted the C-CDA via DIRECT or email
					August, 2023	Run Timely Access report in Medicus and compare to patient visit report from EHR to determine percentage of patients who had access within 24 hours. Calculate average of survey responses.
Public Health						
T done i realiti						
§ 170.315(f)(1) Transmission to immunization registries	Ambulatory	5/1/2023	-	8/31/2023	May, 2023	Has a state immunization registry that can receive immunization data Already has a functional immunization interface or would like to implement one to their registry
					June, 2023	Validate that immunization interface is functioning as expected
					July, 2023	Verify that immunization data was received for patient A
					August, 2023	 Calculate and compile metrics
Application Programming Interfaces						
§ 170.315(g)(7) Application access— patient selection § 170.315(g)(8) Application access— data category request § 170.315(g)(9) Application access— all data request	Ambulatory	5/1/2023	-	8/31/2023	May, 2023	Partner with PHR or identify existing PHR that can receive patient clinical data as described in this RNVT plan. Ensure that PHR as functionality to access the Application Data Access APIs for MedicusEHR v1.0, as described here. Partner with EHR that is integrated with the Application Data Access APIs for MedicusEHR v1.0 and MedicusEHR.
					June, 2023	Encounter is created and visually confirmed
					July, 2023	Application Data Access APIs for MedicusEHR v1.0 has transformed C-CDA into JSON data. PHR app consumes JSON data to populate EHR data
					July, 2023	Visually validate Assessment, Plan of Treatment and Health Concerns narrative text
					August, 2023	Calculate and compile metrics
Electronic Exchange						
§ 170.315(h)(1) Direct Project (Included with (b)(1),(b)(7),(b)(8) in the CareCoordination Category)	Ambulatory	5/1/2023	-	8/31/2023	SEE CARE COORDINATION	SEE CARE COORDINATION

<u>Table of</u> <u>Contents</u>	Associated Certification Criteria: § 170.315(b)(1) Transition of Care § 170.315(b)(2) Clinical information reconciliation and incorporation § 170.315(h)(1) Direct Project							
	Measure Description: Send and receive Transition of Care (TOC) messages with other providers to close the referral loop. The patient's ePHI will be exchanged using a C-CDA 2.1 Care Referral or Referral Note and DIRECT secure messaging for data transport.	Justification: We chose to concentrate on the aspects of this criterion that would: 1) showcase MEDICUS's streamlined approach to provider-to-provider patient referrals and transitions of care with the ultimate goal being higher quality patient care 2) eliminate as much risk of data entry errors as possible by transmitting patient data securely and electronically rather than relying on manual data entry for referrals 3) reduce the overall time burden of manual data entry 4) ensure private and secure transmission of patients' PHI 5) result in increased interoperability between disparate HIT systems.						
	Metric Description: 1) 100 percent of outbound TOC's successfully received by HISP 2) Average C-CDA grade from scorecard for C-CDAs generated from MEDICUS is a "C" or bette 3) 75 percent of C-CDAs flagged as restricted were received in restricted status based on conf 4) 75 percent of trading partner's TOC C-CDAs successfully received by MEDICUS.		Standards Implemented: • CCDS (Common Clinical Data Set) • Applicability Statement for Secure Health Transport, Version 1.2, August 2015 (Direct) • HJ7 C-CDA R2.1 Implementation Guide, October 2019. CDAR2_IG_C-CDAA_CLINNOTES_R1_DSTU2.1_2015AUG_2019JUNwith_errata • HL7 Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes (U Realm), Draft Standard for Trial Use, Volume 1 - Introductory Material, Release 2.1, August 2015 • HL7 Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes (U Realm), Draft Standard for Trial Use, Volume 2 - Templates and Supporting Material, Release 2.1, August 2015 • HL7 Implementation Guide for CDA® Release 2: IHE Health Story Consolidation, DSTU Release 1.1 Realm) Draft Standard for Trial Use July 2012 • ONC Implementation Guide for Direct Edge Protocols, Version 1.1, June 25, 2014 • HL7® CDA R2 Implementation Guide: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 2-US Realm, October 2019					
	Developer Info: MEDICUS Clinical, LLC 36 Corporate Office Park 20 Rd. ASSERTUS Building Suite 104 Guaynabo, PR 00966 (787) 622-2200	Product Info: Product Name: MEDICUS EHR Product Version: 1.0	Methods Use to Demonstrate Interoperability: 1) HISP via Direct Protocol (SMTP) 2) HIE exchange 3) HTTPS via secure provider portal					
	Ambulatory Care Setting: The ambulatory care setting is the most common one for MEDICUS EHR users. Many belong to specialties such as eye care, chiropractic and behavioral health. We don't specifically market to particular specialty areas, so this test plan generically applies to ambulatory care settings.	CHPL ID: 15.04.04.3057.Medi.01.00.1.191113						
			Key Milestone	Key				
Test Step:	Testing Procedure:	Expected Outcomes:	Date:	Milestone:	Outcomes:		Comments:	
1	Identify Trading Partner (TP) and coordinate with TP for sending/receiving clinical documents using production data as described in this RWT plan.	Confirm Trading Partner Confirm ability to send and receive clinical documents Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment	May, 2023					
2	Patient has encounter with care provider and data is captured in EHR	CCDS data elements captured in EHR (system under test) Care provider signs progress note which triggers CCD 2.1 creation. CCD includes the reason for referral, and the referring or transitioning provider's name and office contact information.						
3	Care provider initiates TOC to TP EHR in MEDICUS	From progress note or chronology area, care provider selects Referrals > New Referral and searches the address book for a provider, can manually add provider's Direct address if not present, then sends referral Care provider receives external email confirmation that referral was sent	June, 2023					
*	Next steps take place in trading partner's EHR.							
4	Validate that CCD for the patient contains CCDS data elements.	Recipient uses scorecard to grade CCD	June. 2023					

5	Trading partner refers same patient from TP EHR to MEDICUS by generating C-CDA Clinical Document or Referral Note.	Care provider selects recipient from directory of Direct addresses and initiates sending of Clinical Document.		
6	In MEDICUS, tester acknowledges receipt of valid Clinical Document.	Tester uses Messages Inbox to locate Clinical Document.		
7	Care provider assigns the CCD to a patient.	Care provider selects the CCD, chooses Incorporate, and searches for the correct patient to assign.	July, 2023	
8	Care provider reconciles the info from the incoming CCD into the patient's chart.	In the patient's chart, the care provider selects Last Received CCD then Reconcile. The care provider reviews the record, and merges the patient's problems, medications, and medication allergies into the system under test with no duplicates.	July, 2023	
9	Calculate and compile metrics		August, 2023	
	Attestation: This Real World Testing plan is complete with all required elements, including measures the All information in this plan is up to date and fully addresses the Health IT Developer's Real		1	
	Authorized Representative Name: Michael O. Jimenez			
	Authorized Representative Email: michael.jimenez@assertus.com			
	Authorized Representative Phone: 787-622-2202			
	Authorized Representative Signature: Midual Jimény-Po	ortal		
	Date: 10/31/2022			

<u>Table of</u> <u>Contents</u>	Associated Certification Criteria: § 170.315(b)(3) Electronic prescribing								
	Measure Description: Prescription-related electronic transaction: Create, Change, Cancel, Renew, Fill Status, Medication History including Status, Errors and Verification.	ustification: We chose to concentrate on the aspects of this criterion that would demonstrate the importance of the electronic prescription prescription prescription prescriptions are accurate and not in conflict with each educing the possibility of human error.							
	Metric Description: At least 80 percent of non-controlled substances are prescribed electronically.		Standards Implemented: • § 170.205(b)(1) NCPDP SCRIPT Standard, Implementation Guide, Version 2017071 • § 170.207(d)(3) RxNorm, September 8, 2015 Full Release Update						
	Developer Info: MEDICUS Clinical, LLC 36 Corporate Office Park 20 Rd. ASSERTUS Building Suite 104 Guaynabo, PR 00966 (787) 622-2200	Product Info: Product Name: MEDICUS EHR Product Version: 1.0	Methods Use to Demonstrate Interoperability:						
	Ambulatory Care Setting: The ambulatory care setting is the most common one for MEDICUS EHR users. Many belong to specialties such as eye care, chiropractic and behavioral health. We don't specifically market to particular specialty areas, so this test plan generically applies to ambulatory care settings.	CHPL ID: 15.04.04.3057.Medi.01.00.1.191113							
Test Step:	Testing Procedure:	Expected Outcomes:	Key Milestone Date:	Key Milestone:	Outcomes:	Comments:			
1	Identify Trading Partner (TP) and coordinate with TP for sending/receiving	Confirm Trading Partner Confirm ability to send and receive electronic prescriptions							
•	electronic prescriptions using production data as described in this RWT plan.	Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment	May, 2023						
2		Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live	May, 2023 June, 2023						
2	electronic prescriptions using production data as described in this RWT plan. In a patient's chart, open a progress note and add a prescription order for a	Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment Prescription for non-controlled substance is shown in	,						
	electronic prescriptions using production data as described in this RWT plan. In a patient's chart, open a progress note and add a prescription order for a non-controlled substance, including diagnoses. Select a pharmacy to receive the prescription. Optionally override interactions if	Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment Prescription for non-controlled substance is shown in patient's record. Pharmacy confirms receipt of prescription electronically.	,						
3	electronic prescriptions using production data as described in this RWT plan. In a patient's chart, open a progress note and add a prescription order for a non-controlled substance, including diagnoses. Select a pharmacy to receive the prescription. Optionally override interactions if shown. Send prescription.	Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment Prescription for non-controlled substance is shown in patient's record. Pharmacy confirms receipt of prescription electronically. Diagnoses are shown with prescription.	,						
3	electronic prescriptions using production data as described in this RWT plan. In a patient's chart, open a progress note and add a prescription order for a non-controlled substance, including diagnoses. Select a pharmacy to receive the prescription. Optionally override interactions if shown. Send prescription. Modify the dosage of the existing non-controlled substance prescription.	Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment Prescription for non-controlled substance is shown in patient's record. Pharmacy confirms receipt of prescription electronically. Diagnoses are shown with prescription. Pharmacy shows modified prescription record.	,						
3 4 5	electronic prescriptions using production data as described in this RWT plan. In a patient's chart, open a progress note and add a prescription order for a non-controlled substance, including diagnoses. Select a pharmacy to receive the prescription. Optionally override interactions if shown. Send prescription. Modify the dosage of the existing non-controlled substance prescription. Query the status of the prescription order from within MEDICUS.	Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment Prescription for non-controlled substance is shown in patient's record. Pharmacy confirms receipt of prescription electronically. Diagnoses are shown with prescription. Pharmacy shows modified prescription record. MEDICUS successfully receives fill status. HL7 message is sent to pharmacy. Pharmacy sends	,						

9	Provider sends prescription cancelation from chronology log.		Pharmacy shows cancelation received.				
10	Calculate and compile metrics			August, 2023			
	Attestation: This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the Health IT Developer's Real World Testing requirements.						
	Authorized Representative Name: Michael O. Jimenez						
	Authorized Representative Email: michael.jimenez@asse	rtus.com					
	Authorized Representative Phone: 787-622-2202						
		l Jiménez-Porta	d.				
	Date: 10/31/2022		··				

<u>Table of</u> <u>Contents</u>	Associated Certification Criteria: § 170.315(c)(1) - Clinical quality measures (CQMs) — record and export § 170.315(c)(2) - Clinical quality measures (CQMs) — import and calculate § 170.315(c)(3) - Clinical quality measures (CQMs) — report						
	Measure Description: • Capture and record electronic clinical quality measure (eCQM) data in EHR (or trading partner's EHR) for calculating eCQMs. • Electronically create a data file for transmission of CQM data in accordance with the CMS QRDA Category I IG for inpatient measures as adopted in § 170.205(h)(3) and CMS QRDA Category III IG for ambulatory measures as adopted in § 170.205(k)(3).	calculation and output: 1) Run quality measure reports and operformance. 2a) Generate eCQM output for PI/IQR the PI/IQR website.	display results or display results of the most widely gram (QPP) webs luct that can sup	n Dashboard to control of the contro	ompare with industry-star ram for hospitals) and ens orting program for ambula ality reporting needs.	vities of Medicus users with respect to eCQN indard benchmarks and with prior/expected sure that it can be successfully uploaded to atory) and ensure that it can be successfully leto-end reporting bonus.	
	Metric Description: 1) 100 percent matching data elements in CQMsolution vs EHR. This will be confirmed by visual • Demographics • Problems • Medications • Allergies 2) 100 percent matching calculation results in CQMsolution vs submission environment 3) 0 percent of files uploaded to submission environment result in errors	I validation of the following data:	Standards Implemented: (SVAP) • HL7 CDA® R2 Implementation Guide: Quality Reporting Document Architecture - Category I (QRDA Release 1, DSTU Release 3 (US Realm), Volume 1 - Introductory Material, June 2015 • HL7 CDA R2 Implementation Guide: Quality Reporting Document Architecture - Category I (QRDA I Release 1, DSTU Release 3 (US Realm), Volume 2 - Templates and Supporting Material, June 2015				
	Developer Info: MEDICUS Clinical, LLC 36 Corporate Office Park 20 Rd. ASSERTUS Building Suite 104 Guaynabo, PR 00966 (787) 622-2200	Product Info: Product Name: MEDICUS EHR Product Version: 1.0	Methods Use to Demonstrate Interoperability: • Visual inspection and matching of QRDA I data to EHR data • Matching of calculation results from CQMsolution to CMS • API Sandbox testing with CMS for file acceptance				
	Ambulatory Care Setting: The ambulatory care setting is the most common one for MEDICUS EHR users. Many belong to specialties such as eye care, chiropractic and behavioral health. We don't specifically market to particular specialty areas, so this test plan generically applies to ambulatory care settings.	CHPL ID: 15.04.04.3057.Medi.01.00.1.191113					
Test Step:	Testing Procedure:	Expected Outcomes:	Key Milestone Date:	Key Milestone:	Outcome:	Comment(s)	
1	Identify Trading Partner (TP) and coordinate with TP for calculating and reporting electronic clinical quality measures (eCQMs) using production data as described in this RWT plan.	Confirm Trading Partner Confirm ability to calculate and report eCQMs Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment	May, 2023				
2	Identify six EP (Eligible Professional) eCQMs for RWT.	Based on historical data, select the most popular eCQMs.					
3	Identify a one calendar year reporting period with adequate patient data for reporting.	Admins with sufficient familiarity with the physician practice's clinical activities should be able to choose a period with an appropriate amount of quality data.					
4	Capture and record clinical quality measure (CQM) data in Trading Partner's (TP) EHR. Since manual data entry for an adequate quantity of data would be onerous, we will use actual patient data. a. If TP is integrated with CQMsolution, CQMsolution will capture data through a SQL query, so that when a user runs a CQM report, CQMsolution pulls data directly from the TP's database. b. Alternative approach: Pull in data through QRDA I files in a .zip folder	Data ready for report generation.					

5	Correctly calculate numerator, denominator, exclusion and exception values for selected eCQMs.	The CQMsolution report should complete with no errors.				
6	Spot-check 10 patients for each measure, ensuring that some are in the denominator only, some are in the numerator and denominator and, if possible, some are exclusions or exceptions.	Use Patient List to check which categories Initial Patient Population (IPP), Denominator (Den), Exclusions (Excl), Numerator (Num) or Exceptions (Excp) each patient falls into. For each spot-check patient, use the drill-down to confirm that the patient data in CQMsolution (encounters, codes, demographics) matches the patient data in the EHR and that the patient is correctly categorized in CQMsolution.				
7	Upload the generated MIPS QRDA III file to QPP.	The file should upload and be accepted by the environment without error.	July, 2023			
8	Check the submission environment's measure calculation results and compare them to CQMsolution's calculation results.	All populations of all measures should match.	July, 2023			
9	Calculate and compile metrics		August, 2023			
	Attestation: This Real World Testing plan is complete with all required elements, including measures that ad All information in this plan is up to date and fully addresses the Health IT Developer's Real World		ettings.	1	, , , , , , , , , , , , , , , , , , ,	
	Authorized Representative Name: Michael O. Jimenez					
	Authorized Representative Email: michael.jimenez@assertus.com					
	Authorized Representative Phone: 787-622-2202					
	Authorized Representative Signature: Nidau Jiménuy-fortal					
	Date: 10/31/2022					

<u>Table of</u> <u>Contents</u>	Associated Certification Criteria: 170.315(e)(1) View, Download, and Transmit to 3rd Party						
	Measure Description: Provide patient (and their authorized representatives) user friendly, secure Portal access to their PHI in C-CDA 2.1 HL7 Standard format. Allowing patient to download a summary in both a human readable format and using the CCD document template of the Consolidated CDA Release 2.1 containing: • The CCDS (Common Clinical Data Set) Data Elements • The provider's name and office contact information • Laboratory test report(s) • Diagnostic image report(s)	istification: /e chose to concentrate on the aspects of this criterion that would empower patients with timely electronic access to comprehensive, useful ePHI.					
	Metric Description: 1) More than 80 percent of unique patient with encounters in the review period are provided timely access (within 24 hours of their encounter) to health information to view online, download, and transmit to a third party. 2) Average score between 1 and 2 (1=Easy to use, 5=Unable to access) for patients or Authorized Representatives who tried to access the patient portal and responded to survey questions. 3) Average score between 1 and 2 (1=Easy to download/transmit, 5=Unable to download/transmit) for patients or Authorized Representatives who accessed the patient portal and tried to download or transmit a C-CDA. Standards Implemented: • CCDS (Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.0, December 11, 2008 • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 2018 (Available of the Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 2018 (Available of the Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 2018 (Available of the Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 2018 (Available of the Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 2018 (Available of the Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 2018 (Available of the Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 2018 (Available of the Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 2018 (Available of the Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 2018 (Available of the Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 2018 (Available of the Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 2018 (Available of the Common Clinical Data Set) • Web Content Accessibility Guidelines (WCAG) 2.1, June 05, 201					05, 2018 (Available 2019JUNwith_errata dated CDA Template - Introductory Mate	a es for Clinical erial, Release
	Developer Info: MEDICUS Clinical, LLC 36 Corporate Office Park 20 Rd. ASSERTUS Building Suite 104 Guaynabo, PR 00966 (787) 622-2200	Product Info: Product Name: MEDICUS EHR Product Version: 1.0	Methods Use to Demonstrate Interoperability: 1) Direct Protocol Send Functionality 2) SMTP Email Send Functionality 3) HTTPS via secure portal Access for patient from any browser 4) Ability for Portal to be accessed via a Smartphone or Tablet				
	Ambulatory Care Setting: The ambulatory care setting is the most common one for MEDICUS EHR users. Many belong to specialties such as eye care, chiropractic and behavioral health. We don't specifically market to particular specialty areas, so this test plan generically applies to ambulatory care settings.	CHPL ID: 15.04.04.3057.Medi.01.00.1.191113					
Test Step:	Testing Procedure:	Expected Outcomes:	Key Milestone Date:	Key Milestone:	Outcomes:		Comment(s)
1	Determine whether live production data or a copy of production data will be used.	Confirm ability to provide patients timely access to their ePHI Confirm that production data will be used, whether in an actual live environment or a copy of a live environment	May, 2023				
2	For a period of time, monitor the system as the below steps (3-11) take place continuously.	Many patient visits will occur during the period of time, generating a sufficient amount of data for calculating the metrics at the end of testing.					
3	Patient arrives for a visit	Patient demographics are captured in the EHR					
4	Provider Charts on the Patients health status	CCDS data elements are recorded in EHR					
5	Provider Signs note or patient checks out	Validate that a C-CDA has been triggered and received in Medicus Ensure patient is mapped to the right provider and practice. Visually verify CCDS data sections exist with accurate information Validate code systems and format with ScoreCard or ETT tool for schema validation.					

Second validation in the audit log that patient has framewith the CCDA via challed protected representative transmitts: Calculate and compile metrics Patient or authorized representative views C-CDA or choses a date range of CCDs to represent the surface of the control validation in the audit log that patient has viewed C-CDA validation in the audit log that patient has viewed C-CDA validation in the audit log that patient has viewed C-CDA validation in the audit log that patient has viewed C-CDA validation in the audit log that patient has viewed C-CDA validation in the audit log that patient has viewed C-CDA validation in the audit log that patient has viewed C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA validation in the audit log that patient has framewith the C-CDA									
Patient or authorized representative logs into Portal the Patient is provided the LPU while in the physician's office. Record validation in the audit log that I patient has viewed C-CDA Patient or authorized representative views C-CDA or chases a date range of CCDs to view Patient or authorized representative downloads C-CDA their choice of xml or poff Record validation in the audit log that patient has viewed C-CDA Patient or authorized representative transmits: a C-CDA via Direct Protocol to a provider b C-CDA via Direct Protocol to a provider b C-CDA via email to others Request survey response on Patient Portal ease of use and accessibility. Patient or authorized representative transmits: Request survey response on Patient Portal ease of use and accessibility. Patient or authorized representative provides a score from 1 (assy) to 5 (unable) on the following criteria: - accessing the portal - downloading and/or transmitting uPHI Calculate and compile metrics Attestation: This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the leath to Developer's Real World Testing requirements. Authorized Representative Name: Michael O. Jimnet Z. Authorized Representative Name: Michael O. Jimnet Z. Authorized Representative Signature: Michael Jimnet Z. Record validation in the audit log that patient has downloaded C-CDA - Record validation in the audit log that patient has downloaded C-CDA - Record validation in the audit log that patient has downloaded C-CDA - Record validation in the audit log that patient has downloaded C-CDA - Record validation in the audit log that patient has downloaded C-CDA - Record validation in the audit log that patient has downloaded C-CDA - Record validation in the audit log that patient has downloaded C-CDA - Record validation in the audit log that patient has downloaded C-CDA - Record validation in the audit log that patie	6	Medicus administrator user creates a new patient portal account for the patient.		June, 2023					
Validate NTP by comparing Portal timestamp with Medicus timestamp Patient or authorized representative downloads C-CDA their choice of xml or pdf Record validation in the audit log that patient has downloaded C-CDA	7	Patient or authorized representative logs into Portal	the Patient is provided the URL while in the physician's office.						
Patient or authorized representative transmits: Record validation in the audit log that patient has transmitted the C-CDA June, 2023 Description of the control of a provider of C-CDA via Direct Protocol to a provider of C-CDA via email to others Patient or authorized representative provides a score from 1 (easy) to 5 (unable) on the following criteria: - accessing the portal - downloading and/or transmitting ePHI Patient or authorized representative provides a score from 1 (easy) to 5 (unable) on the following criteria: - accessing the portal - downloading and/or transmitting ePHI Patient or authorized representative from 1 (easy) to 5 (unable) on the following criteria: - accessing the portal - downloading and/or transmitting ePHI Patient or authorized representative that the following criteria: - accessing the portal - downloading and/or transmitting ePHI Attestation: This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the Health IT Developer's Real World Testing requirements. Authorized Representative Name: Michael O. Jimenez Authorized Representative Phone: 787-622-2202 Authorized Representative Signature: Michael Juneau-Partal	8								
a C-CDA via Direct Protocol to a provider b C-CDA via email to others 11 Request survey response on Patient Portal ease of use and accessibility. Patient or authorized representative provides a score from 1 (easy) to 5 (unable) on the following criteria: - accessing the portal - downloading and/or transmitting ePHI 12 Calculate and compile metrics - Run Timely Access report in Medicus and compare to patient visit report from EHR to determine percentage of patients who had access within 24 hours Calculate average of survey responses. August, 2023 - Attestation: This Real World Testing plan is complete with all required elements, including measures that address all critification criteria and care settings. All information in this plan is up to date and fully addresses the Health IT Developer's Real World Testing requirements. Authorized Representative Name: Michael O. Jimenez Authorized Representative Phone: 787-622-2202 Authorized Representative Signature: Michael Jimenez@assertus.com Authorized Representative Signature: Michael Jimenez@assertus.	9	Patient or authorized representative downloads C-CDA their choice of xml or pdf	Record validation in the audit log that patient has downloaded C-CDA						
b C-CDA via email to others Patient or authorized representative provides a score from 1 (easy) to 5 (unable) on the following criteria: accessing the portal	10	Patient or authorized representative transmits:		June, 2023					
Patient or authorized representative provides a score from 1 (easy) to 5 (unable) on the following criteria: - accessing the portal - downloading and/or transmitting ePHI - Run Timely Access report in Medicus and compare to patient visit report from EHR to determine percentage of patients who had access within 24 hours Calculate and compile metrics - Attestation: This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the Health in Developer's Real World Testing requirements. Authorized Representative Name: Michael O, Jimenez Authorized Representative Email: michael.jimenez@assertus.com Authorized Representative Email: michael.jimenez@assertus.com Authorized Representative Signature: Michael D, Jimenez Authorized Representative Signature: Michael Jiménuz-fettal		a C-CDA via Direct Protocol to a provider							
Request survey response on Patient Portal ease of use and accessibility. Calculate and compile metrics - Run Timely Access report in Medicus and compare to patient visit report from EHR to determine percentage of patients who had access within 24 hours. Calculate average of survey responses. - Calculate average of survey responses. Attestation: This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the Health IT Developer's Real World Testing requirements. Authorized Representative Name: Michael D. Jimenez Authorized Representative Email: michael.jimenez@assertus.com Authorized Representative Email: michael.jimenez@assertus.com Authorized Representative Phone: 787-622-2202 Bookspet by: Authorized Representative Signature: Michael Signature: Michael Simérum-Portal		b C-CDA via email to others							
- downloading and/or transmitting ePHI - Run Timely Access report in Medicus and compare to patient visit report from EHR to determine percentage of patients who had access within 24 hours Calculate average of survey responses. - Attestation: This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings All information in this plan is up to date and fully addresses the Health IT Developer's Real World Testing requirements. - Authorized Representative Name: Michael O. Jimenez - Authorized Representative Email: michael.jimenez@assertus.com - Authorized Representative Email: michael.jimenez@assertus.com - Authorized Representative Signature: Midual Simérus-Portal	11	Request survey response on Patient Portal ease of use and accessibility.	(unable) on the following criteria:						
Calculate and compile metrics Paper of the percentage of patients who had access within 24 hours. Calculate average of survey responses. August, 2023									
This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the Health IT Developer's Real World Testing requirements. Authorized Representative Name: Michael O. Jimenez Authorized Representative Email: michael.jimenez@assertus.com Authorized Representative Phone: 787-622-2202 Authorized Representative Signature: Michael Jimétun-Pertal	12	Calculate and compile metrics	report from EHR to determine percentage of patients who had access within 24 hours.	August, 2023					
Authorized Representative Email: michael.jimenez@assertus.com Authorized Representative Phone: 787-622-2202 Authorized Representative Signature: Michael Jiméwy-fortal		This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings.							
Authorized Representative Phone: 787-622-2202 Authorized Representative Signature: Michael Jiménuy-Partal		Authorized Representative Name: Michael O. Jimenez							
Authorized Representative Signature: Nichael Jiménuy-Portal		Authorized Representative Email: michael.jimenez@assertus.com							
Traducto function function		Authorized Representative Phone: 787-622-2202							
Date: 10/31/2022 -239289890074/E.		required jim ever j. j	drtal						
10/01/2022		Date: 10/31/2022							

<u>Table of</u> <u>Contents</u>	Associated Certification Criteria: §170.315(f)(1) Transmission to immunization registries								
	Measure Description: Create and transmit immunization information. Enable a user to request, access, and display a patient's evaluated immunization history and the immunization forecast from an immunization registry	Justification: We chose to concentrate on the aspects of this criterion that would provide the mo informing patient care and in cost control through identification of needed immunia not yet have the ability to handle a bi-directional query/response type of interface.	zations and elimin	nation of redun	dant immunizations. In our e				
	Metric Description: 1) 100 percent correct immunization records successfully posted to registry confirmed by visual validation. 2) 100 percent correct correct immunization history records successfully received in EHR confirmed by visual validation. 3) Successful Transmission to Public Health Registry will be reviewed for ACK & NAK to ensure 100% successful transmission. Developer Info: Product Info:			Standards Implemented: • § 170.205(e)(4) H.17 2.5.1 Implementation Specifications. HL7 2.5.1 Implementation Guide for Immunization Messaging, Release 1.5, October 2014 • HL7 Version 2.5.1 Implementation Guide for Immunization Messaging (Release 1.5)—Addendum, July 2015§ 170.207(e)(3) HL7 Standard Code Set CVX— Vaccines Administered, updates through August 17, 2015 • § 170.207(e)(4) National Drug Code (NDC) Directory—Vaccine NDC Linker, updates through August 17, 2015					
	Developer Info: MEDICUS Clinical, LLC 36 Corporate Office Park 20 Rd. ASSERTUS Building Suite 104 Guaynabo, PR 00966 (787) 622-2200 Ambulatory Care Setting: The ambulatory care setting is the most common one for MEDICUS EHR users. Many belong to specialties such as eye care, chiropractic and behavioral health. We don't specifically market to particular specialty areas, so this test plan generically applies to ambulatory care settings.	Product Info: Product Name: MEDICUS EHR Product Version: 1.0 CHPL ID: 15.04.04.3057.Medi.01.00.1.191113	Methods Use to Demonstrate Interoperability: 1) SFTP 2) TCP/IP 3) Webservice 4) HL7 Standard Code Set CVX – Vaccine AdministeredOID: 2.16.840.1.113883.12.292 5) National Drug Code Directory OID: 2.16.840.1.113883.6.69 6) SOAP-based standard for transport of immunization data			69			
Test Step:	Testing Procedure:	Expected Outcomes:	Key Milestone Date:	Key Milestone:	Outcomes:	Comment(s)			
1	Identify Trading Partner (TP) and coordinate with TP for transmitting immunization records using production data as described in this RWT plan.	Has a state immunization registry that can receive immunization data Already has a functional immunization interface or would like to implement one to their registry	May, 2023						
2	Implement send-only immunization interface (if interface not already in place).	Validate that immunization interface is functioning as expected	June, 2023						
3	Determine whether test or production interface will be used.	If production, determine whether an actual patient or a test patient will be used.							
4	Create a new immunization record.	Register a patient or create a new patient "A" in Client EHR and create a current patient encounter Record an immunization in Client EHR							
5	Run immunization process to send to registry (Note: This is an optional step for batch process registry transmission, rather than real-time).	Confirm immunization process							
6	Access registry to verify that immunization data was received for patient A.	Verify that immunization data was received for patient A	July, 2023						
7	Calculate and compile metrics		August, 2023						
	Attestation: This Real World Testing plan is complete with all required elements, including re All information in this plan is up to date and fully addresses the Health IT Devel								
	Authorized Representative Name: Michael O. Jimenez								
	Authorized Representative Email: michael.jimenez@assertus.c	om							
	Authorized Representative Phone: 787-622-2202								
	Authorized Representative Signature: Michael Jimé	us-Portal							
	Date: 10/31/2022 -22382888600F46E								

<u>Table of</u> Contents	Associated Certification Criteria: § 170.315(g)(7) Application access—patient selection								
Contents	§ 170.315(g)(8) Application access— data category request § 170.315(g)(9) Application access— all data request								
	Measure Description: Enable a patient's to access their electronic health data through a Personal Health Record (PHR) app on their smartphone. They have had a healthcare encounter with a provider using an EHR that is integrated with the Application Data Access APIs for MedicusEHR v1.0 and Medicus EHR. They would like to view the results from that encounter along with the rest of their electronic health record.		tion: s a focus on empowering patients by providing them with an electronic copy of their health record. We agree that this is very important satisfaction and improving population health in general.						
	Metric Description: 1) Patient is able to retrieve API data from PHR app for 100 percent of encounters. 2) In 100 percent of encounters from Step #1, PHR data matches data from EHR. This will be following JSON resources: • Demographics • Problems • Medications • Allergies	e confirmed by visual validation of the	Standards Imple	mented:					
	Developer Info: MEDICUS Clinical, LLC 36 Corporate Office Park 20 Rd. ASSERTUS Building Suite 104 Guaynabo, PR 00966 (787) 622-2200	Product Info: Product Name: MEDICUS EHR Product Version: 1.0	Methods Use to Demonstrate Interoperability: 1) HTTPS via secure portal 2) Application Data Access APIs for MedicusEHR v1.0						
	Ambulatory Care Setting: The ambulatory care setting is the most common one for MEDICUS EHR users. Many belong to specialties such as eye care, chiropractic and behavioral health. We don't specifically market to particular specialty areas, so this test plan generically applies to ambulatory care settings.	CHPL ID: 15.04.04.3057.Medi.01.00.1.191113							
Test Step:	Testing Procedure:	Expected Outcomes:	Key Milestone Date:	Key Milestone:	Outcomes:	Comment(s)			
1	Identify Trading Partner (TP) and coordinate with TP for providing patients timely access to their ePHI using production data as described in this RWT plan.	Partner with PHR or identify existing PHR that can receive patient clinical data as described in this RWT plan. Ensure that PHR has functionality to access the Application Data Access APIs for MedicusEHR v1.0, as described here. Partner with EHR that is integrated with the Application Data Access APIs for MedicusEHR v1.0 and Medicus EHR.		0					
2	Patient A has encounter with care provider who uses EHR described above.	Encounter is created and visually confirmed	June, 2023						
3	Provider captures CCDS data elements in EHR	CCDS data elements are validated in the system							
4	Provider manually generates Care/Referral Summary C-CDA post-visit or ensures that the EHR generates one automatically.	C-CDA is confirmed for the specified patient							

5	Patient A uses an administered Patient Portal login to view clinical information	Patient Portal account has to be manually created by an Administrator. The Administrator will create an account for a Patient or Patient Representative once the account is created by an Administrator, an email is sent with the Portal URL, a username and a password for logging in. On initial login, Patient A will need to provide their first name, last name and DOB before being able to login. After initial activation, Patient Portal will automatically send an email reminder that Patient A has a new clinical document available.		
6	The Trading Partner obtains credentials for authorization thru Medicus.	Specific credentials are provided to the Trading Partner in order for them to authenticate Trading Partners will authenticate using ConnectorAccountKey, Token, SessionKey, and LoginToken Once authenticated, Trading Partners will be allowed to call other methods and pull patient data		
7	PHR app (for example, Postman) displays full set of data for all data categories	Application Data Access APIs for MedicusEHR v1.0 has transformed C-CDA into JSON data. PHR app consumes JSON data to populate EHR data	July, 2023	
8	PHR app returns full set of data for a given category	PHR app will return all data to be displayed for each data category		
9	PHR app returns data in a computable format using specified standards.	Data is confirmed to be in JSON format		
10	PHR app returns full and accurate data for a specific date or specific date range	Step 10 is optional, if PHR app has the capability to filter by date range Filtering data by a specific date returns data accurately and as expected Filtering data by a specific date range returns data accurately and as expected		
11	Via visual inspection of PHR app, the data is verified to include Assessment, Plan of Treatment and Health concerns which are specified as narrative text	Visually validate Assessment, Plan of Treatment and Health Concerns narrative text	July, 2023	
12	Calculate and compile metrics		August, 2023	
	Attestation: This Real World Testing plan is complete with all required elements, including measures tha All information in this plan is up to date and fully addresses the Health IT Developer's Real		e settings.	
	Authorized Representative Name: Michael O. Jimenez			
	Authorized Representative Email: michael.jimenez@assertus.com			
	Authorized Representative Phone: 787-622-2202			
	Authorized Representative Signature: Michael Jiméwy-Portal			
	Date: 10/31/2022			